

## Stainless Eye Terminal

---

### Product information

Eye terminals for pressing or swaging onto stainless steel wire rope. They are mainly used as an attachment to rigging screws or forks.

... [Read more](#)

---

**Material:** Stainless steel AISI 316.

**Marking:** logo, wire size and swage depth.


**Temperature range:** -50°C to +100°C and briefly up to +200°C

**Finish:** High polished.



## Stainless Eye Terminal

### Blueprint



### Technical data

| Part code   | Rope Ø range mm | MBL ton | A mm | B mm | D1mm mm | D2mm mm | L1mm mm | L2mm mm | Weight kg/100pc |
|-------------|-----------------|---------|------|------|---------|---------|---------|---------|-----------------|
| 1207190002  | 2               | 1.2     | 3    | 12   | 5,5     | 5,5     | 41      | 24      | 0.9             |
| 1207190025  | 2.5             | 1       | 3    | 12   | 5,5     | 5,5     | 44      | 27      | 0.8             |
| 1207190003  | 3               | 1.3     | 4    | 14   | 6,35    | 6,5     | 60      | 38      | 1.3             |
| 1207190004  | 4               | 1.7     | 5    | 17   | 7,5     | 8,5     | 67      | 45      | 2.3             |
| 1207190005  | 5               | 2.4     | 6    | 21   | 9,0     | 10,5    | 79      | 51      | 3.9             |
| 1207190006  | 6               | 5.5     | 8    | 25   | 12,58   | 13,0    | 94      | 64      | 8.7             |
| 1207190006X | 6               | 5.5     | 10   | 28   | 12,58   | 13,2    | 105     | 64      | 13.2            |
| 1207190007  | 7               | 6.8     | 9    | 27   | 14,2    | 13,0    | 104     | 70      | 11.5            |
| 1207190007X | 7               | 6.8     | 10   | 28   | 14,2    | 13,2    | 110     | 70      | 13.5            |
| 1207190008  | 8               | 8       | 10   | 30   | 16,0    | 14,5    | 124     | 83      | 17              |
| 1207190008X | 8               | 8       | 12   | 36   | 16,0    | 16,5    | 141     | 83      | 23.5            |
| 1207190010  | 10              | 9.7     | 11   | 35   | 17,8    | 16,3    | 137     | 89      | 25              |
| 1207190010X | 10              | 9.7     | 16   | 40   | 17,8    | 19,5    | 165     | 100     | 38              |
| 1207190012X | 12              | 14.2    | 15   | 42   | 21,4    | 19,3    | 178     | 120     | 41              |
| 1207190012  | 12              | 11.4    | 15   | 40   | 20,0    | 19,3    | 156     | 105     | 41.5            |
| 1207190014  | 14              | 15.9    | 18   | 47   | 25,0    | 23,0    | 206     | 140     | 75.6            |
| 1207190016  | 16              | 19      | 20   | 53   | 28,0    | 26      | 232     | 160     | 102             |
| 1207190016  | 19              | 31      | 25   | 65   | 34,5    | 28,5    | 302     | 200     | 209             |
| 1207190020  | 20              | 31      | 25   | 65   | 34,5    | 28,5    | 302     | 200     | 199.8           |
| 1207190022  | 22              | 42      | 30   | 70   | 40,4    | 33,0    | 348     | 230     | 314             |
| 1207190026  | 26              | 53      | 30   | 77   | 46,0    | 36,0    | 400     | 280     | 425             |
| 1207190028  | 28              | 64      | 35   | 84   | 50      | 40,5    | 445     | 300     | 602             |

## Stainless Eye Terminal

---